

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssseptaui83lec

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 28	CA/Caplus patent coverage enhanced
NEWS	3	JUL 28	EPFULL enhanced with additional legal status information from the epoline Register
NEWS	4	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	5	JUL 28	STN Viewer performance improved
NEWS	6	AUG 01	INPADOCDB and INPAFAMDB coverage enhanced
NEWS	7	AUG 13	CA/Caplus enhanced with printed Chemical Abstracts page images from 1967-1998
NEWS	8	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	9	AUG 15	Caplus currency for Korean patents enhanced
NEWS	10	AUG 27	CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information
NEWS	11	SEP 18	Support for STN Express, Versions 6.01 and earlier, to be discontinued
NEWS	12	SEP 25	CA/Caplus current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances
NEWS	13	SEP 26	WPIDS, WPINDEX, and WPIX coverage of Chinese and Korean patents enhanced
NEWS	14	SEP 29	IFICLS enhanced with new super search field
NEWS	15	SEP 29	EMBASE and EMBAL enhanced with new search and display fields
NEWS	16	SEP 30	CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese-language patents
NEWS	17	OCT 07	EPFULL enhanced with full implementation of EPC2000
NEWS	18	OCT 07	Multiple databases enhanced for more flexible patent number searching
NEWS	19	OCT 22	Current-awareness alert (SDI) setup and editing enhanced
NEWS	20	OCT 22	WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT Applications
NEWS	21	OCT 24	CHEMLIST enhanced with intermediate list of pre-registered REACH substances
NEWS EXPRESS	JUNE 27 08	CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.	
NEWS HOURS		STN Operating Hours Plus Help Desk Availability	
NEWS LOGIN		Welcome Banner and News Items	
NEWS IPC8		For general information regarding STN implementation of IPC 8	

Enter NEWS followed by the item number or name to see news on that

specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 17:04:32 ON 18 NOV 2008

```
=> file caplus
COST IN U.S. DOLLARS                SINCE FILE      TOTAL
                                      ENTRY      SESSION
FULL ESTIMATED COST                0.21          0.21
```

FILE 'CAPLUS' ENTERED AT 17:04:46 ON 18 NOV 2008  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Nov 2008 VOL 149 ISS 21  
FILE LAST UPDATED: 17 Nov 2008 (20081117/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

```
=> s 6-methylmercaptapurine (w) riboside
4190652 6
      326 METHYLMERCAPTOPURINE
      285 6-METHYLMERCAPTOPURINE
          (6(W)METHYLMERCAPTOPURINE)
4426 RIBOSIDE
L1      111 6-METHYLMERCAPTOPURINE (W) RIBOSIDE

=> s 11 and N-phosphonacetyl-L-aspartic acid
3243595 N
      371 PHOSPHONACETYL
1711911 L
      76309 ASPARTIC
4710213 ACID
      62 N-PHOSPHONACETYL-L-ASPARTIC ACID
          (N(W)PHOSPHONACETYL(W)L(W)ASPARTIC(W)ACID)
L2      3 L1 AND N-PHOSPHONACETYL-L-ASPARTIC ACID
```

=> s 12 and alanosine  
 201 ALANOSINE  
 L3 0 L2 AND ALANOSINE

=> s 12 and 3-bromopyruvate  
 7433128 3  
 1057 BROMOPYRUVATE  
 150 3-BROMOPYRUVATE  
 (3(W)BROMOPYRUVATE)  
 L4 0 L2 AND 3-BROMOPYRUVATE

=> s 12 and adriamycin  
 12068 ADRIAMYCIN  
 L5 2 L2 AND ADRIAMYCIN

=> d 12 ibib abs hitstr 1-2

L2 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 1996:125542 CAPLUS  
 DOCUMENT NUMBER: 124:219696  
 ORIGINAL REFERENCE NO.: 124:40305a,40308a  
 TITLE: Enhanced antitumor activity of an adriamycin +  
 5-fluorouracil combination when preceded by  
 biochemical modulation  
 AUTHOR(S): Stolfi, Robert L.; Colofiore, Joseph R.; Nord, L. D.;  
 Martin, Daniel S.  
 CORPORATE SOURCE: Catholic Medical Center, Woodhaven, NY, 11421, USA  
 SOURCE: Anti-Cancer Drugs (1996), 7(1), 100-4  
 CODEN: ANTDEV; ISSN: 0959-4973  
 PUBLISHER: Rapid Science Publishers  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB A three-drug combination, PMA, consisting of (phosphonacetyl)-L-aspartic  
 acid + 6-methylmercaptapurine riboside +  
 5-aminonicotinamide, preceding either 5-fluorouracil (5-FU) or adriamycin  
 (Adr), produced tumor-regressing activity in a murine advanced breast  
 tumor model not attainable with either 5-FU or Adr as single agents, or  
 with any lesser combination of these drugs administered at maximally  
 tolerated doses. Marked tumor-regressing activity was further increased  
 significantly by using 5-FU and Adr together in conjunction with the  
 modulatory biochem. conditioning (particularly ATP depletion) provided by  
 pretreatment with PMA.

L2 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 1994:95764 CAPLUS  
 DOCUMENT NUMBER: 120:95764  
 ORIGINAL REFERENCE NO.: 120:16835a,16838a  
 TITLE: Chemotherapeutic drug combinations  
 INVENTOR(S): Martin, Daniel S.; Stolfi, Robert L.; Colofiore,  
 Joseph R.; Nord, L. D.  
 PATENT ASSIGNEE(S): USA  
 SOURCE: PCT Int. Appl., 79 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

WO 9323014 A1 19931125 WO 1993-US4775 19930520  
 W: AU, CA, JP  
 RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE  
 AU 9343834 A 19931213 AU 1993-43834 19930520  
 AU 684709 B2 19980108  
 EP 641193 A1 19950308 EP 1993-914010 19930520  
 R: AT, BE, CH, DE, FR, GB, IE, IT, LI, NL  
 JP 08506317 T 19960709 JP 1993-503842 19930520  
 PRIORITY APPLN. INFO.: US 1992-885809 A 19920520  
 WO 1993-US4775 A 19930520

AB Drug combinations for the treatment of neoplastic diseases comprise (1) cellular energy depletion comps. containing an inhibitor of purine nucleotide biosynthesis, a nicotinamide antagonist, and optionally an inhibitor of pyrimidine nucleotide biosynthesis and (2) apoptosis-inducing agents. For example, antineoplastic effects of combinations of N-(phosphonacetyl)-L-aspartic acid, 6-methylmercaptapurine riboside, 6-aminonicotinamide, and 5-fluorouracil in breast tumor-bearing mice were demonstrated.

=> d his

(FILE 'HOME' ENTERED AT 17:04:32 ON 18 NOV 2008)

FILE 'CAPLUS' ENTERED AT 17:04:46 ON 18 NOV 2008

L1 111 S 6-METHYLMERCAPTUPURINE (W) RIBOSIDE  
 L2 3 S L1 AND N-PHOSPHONACETYL-L-ASPARTIC ACID  
 L3 0 S L2 AND ALANOSINE  
 L4 0 S L2 AND 3-BROMOPYRUVATE  
 L5 2 S L2 AND ADRIAMYCIN

=> d l2 ibib abs hitstr 3

L2 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1992:542977 CAPLUS

DOCUMENT NUMBER: 117:142977

ORIGINAL REFERENCE NO.: 117:24565a,24568a

TITLE: Biochemical modulation of tumor cell energy: regression of advanced spontaneous murine breast tumors with 5-fluorouracil-containing drug combination  
 AUTHOR(S): Stolfi, Robert L.; Colofiore, Joseph R.; Nord, L. D.; Koutcher, Jason A.; Martin, Daniel S.

CORPORATE SOURCE: Cancer Res. Dep., Cathol. Med. Cent., Woodhaven, NY, 11421, USA

SOURCE: Cancer Research (1992), 52(15), 4074-81

CODEN: CNREA8; ISSN: 0008-5472

DOCUMENT TYPE: Journal

LANGUAGE: English

AB This report describes a highly active chemotherapeutic drug combination, consisting of N-(phosphonacetyl)-L-aspartate plus 6-methylmercaptapurine riboside plus 6-aminonicotinamide plus 5-fluorouracil, in CD8F1 mice bearing spontaneous, autochthonous, breast tumors or first-passage advanced transplants of these spontaneous tumors. The combination and sequence of administration of these drugs were selected on the basis of known potentiating biochem. interactions. High performance liquid chromatog. and NMR spectroscopy measurements of biochem. changes resulting from treatment with N-(phosphonacetyl)-L-aspartate plus 6-methylmercaptapurine riboside plus 6-aminonicotinamide indicated a severe depletion of cellular energy levels in the treated

tumors. 6-Aminonicotinamide produced a severe block of the pentose shunt, and 5-fluorouracil severely inhibited both thymidylate synthase and thymidine kinase in the treated tumors. This quadrupole drug combination, administered on a 10-11-day schedule, produced an impressive partial tumor regression rate of 67% of large, spontaneous, autochthonous, murine breast tumors and a tumor regression rate of 74% of first-passage transplants of the spontaneous breast tumors.

=> d his

(FILE 'HOME' ENTERED AT 17:04:32 ON 18 NOV 2008)

FILE 'CAPLUS' ENTERED AT 17:04:46 ON 18 NOV 2008

L1 111 S 6-METHYLMERCAPTOPYRINE (W) RIBOSIDE  
L2 3 S L1 AND N-PHOSPHONACETYL-L-ASPARTIC ACID  
L3 0 S L2 AND ALANOSINE  
L4 0 S L2 AND 3-BROMOPYRUVATE  
L5 2 S L2 AND ADRIAMYCIN

=> d 15 ibib abs hitstr 1-2

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1996:125542 CAPLUS

DOCUMENT NUMBER: 124:219696

ORIGINAL REFERENCE NO.: 124:40305a,40308a

TITLE: Enhanced antitumor activity of an adriamycin  
+ 5-fluorouracil combination when preceded by  
biochemical modulation

AUTHOR(S): Stolfi, Robert L.; Colofiore, Joseph R.; Nord, L. D.;  
Martin, Daniel S.

CORPORATE SOURCE: Catholic Medical Center, Woodhaven, NY, 11421, USA

SOURCE: Anti-Cancer Drugs (1996), 7(1), 100-4

CODEN: ANTDEV; ISSN: 0959-4973

PUBLISHER: Rapid Science Publishers

DOCUMENT TYPE: Journal

LANGUAGE: English

AB A three-drug combination, PMA, consisting of (phosphonacetyl)-L-aspartic acid + 6-methylmercaptopurine riboside + 5-aminonicotinamide, preceding either 5-fluorouracil (5-FU) or adriamycin (Adr), produced tumor-regressing activity in a murine advanced breast tumor model not attainable with either 5-FU or Adr as single agents, or with any lesser combination of these drugs administered at maximally tolerated doses. Marked tumor-regressing activity was further increased significantly by using 5-FU and Adr together in conjunction with the modulatory biochem. conditioning (particularly ATP depletion) provided by pretreatment with PMA.

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1994:95764 CAPLUS

DOCUMENT NUMBER: 120:95764

ORIGINAL REFERENCE NO.: 120:16835a,16838a

TITLE: Chemotherapeutic drug combinations

INVENTOR(S): Martin, Daniel S.; Stolfi, Robert L.; Colofiore,  
Joseph R.; Nord, L. D.

PATENT ASSIGNEE(S): USA

SOURCE: PCT Int. Appl., 79 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

## PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9323014	A1	19931125	WO 1993-US4775	19930520
W: AU, CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9343834	A	19931213	AU 1993-43834	19930520
AU 684709	B2	19980108		
EP 641193	A1	19950308	EP 1993-914010	19930520
R: AT, BE, CH, DE, FR, GB, IE, IT, LI, NL				
JP 08506317	T	19960709	JP 1993-503842	19930520
PRIORITY APPLN. INFO.:			US 1992-885809	A 19920520
			WO 1993-US4775	A 19930520

AB Drug combinations for the treatment of neoplastic diseases comprise (1) cellular energy depletion compns. containing an inhibitor of purine nucleotide biosynthesis, a nicotinamide antagonist, and optionally an inhibitor of pyrimidine nucleotide biosynthesis and (2) apoptosis-inducing agents. For example, antineoplastic effects of combinations of N-(phosphonacetyl)-L-aspartic acid, 6-methylmercaptapurine riboside, 6-aminonicotinamide, and 5-fluorouracil in breast tumor-bearing mice were demonstrated.

=&gt; d his

(FILE 'HOME' ENTERED AT 17:04:32 ON 18 NOV 2008)

FILE 'CAPLUS' ENTERED AT 17:04:46 ON 18 NOV 2008

```

L1      111 S 6-METHYLMERCAPTOPYRINE (W) RIBOSIDE
L2      3 S L1 AND N-PHOSPHONACETYL-L-ASPARTIC ACID
L3      0 S L2 AND ALANOSINE
L4      0 S L2 AND 3-BROMOPYRUVATE
L5      2 S L2 AND ADRIAMYCIN

```